

# COFFEE BREWING SYSTEMS

## CBS-1221 Plus Airpot Brewer

Shown with D080 2.2 Liter Airpot



### PLUG AND PLAY OPERATION

Three batch buttons pre-programmed at the factory. If desired the USB port can be used to upload and download recipes.



### CASCADING SPRAY DOME

Patented design provides even saturation of the coffee bed for maximum extraction. Lime resistant design for less service calls.

### COMMONALITY OF PARTS

Keep inventory and service costs down with interchangeable parts between other FETCO brewers.

### TRUE BREW TIME

Automatically manage net brew time independent from pre-wet and pulsing functions for easy adjustment of coffee extraction.

# DISPENSERS

## CBS-1221 Plus Airpot Brewer



### DISPENSERS

**D037**

1.9 Liter  
Tall Server

NSF



**D078**

2.2 Liter  
Glass Lined  
Pump Lever Airpot

NSF



**D080**

2.2 Liter  
Pump Lever Airpot

NSF



**D081**

2.5 Liter  
Pump Lever Airpot

NSF



**D041**

3.0 Liter  
Pump Lever Airpot

NSF



All dispensers **SOLD SEPARATELY.**

# TECHNICAL SPECIFICATIONS

## CBS-1221 Plus Airpot Brewer

### NORTH AMERICA

#### ELECTRICAL

Item Number	Brew Basket	Voltage	Heater Config.	Phase	Wires	kW	Connection	Max Amp Draw	[Gal] / [L] Hour	Certification
E1221US-1A117-KM001	13x5" <b>Plastic</b>	120	1 x 1.7 kW	1	2+G	1.7	NEMA 5-15P	14.7	4.4 / 16.7	cULus
E1221US-1A117-LM001	13x5" <b>Metal</b>	120	1 x 1.7 kW	1	2+G	1.7	NEMA 5-15P	14.7	4.4 / 16.7	cULus
E1221US-1A117-MM001	10.6x4.5" <b>Metal</b>	120	1 x 1.7 kW	1	2+G	1.7	NEMA 5-15P	14.7	4.4 / 16.7	cULus
E1221US-1A117-PM001	10.6x4.5" <b>Plastic</b>	120	1 x 1.7 kW	1	2+G	1.7	NEMA 5-15P	14.7	4.4 / 16.7	cULus
E1221US-1X117-KM001 DUAL VOLTAGE	13x5" <b>Plastic</b>	120 208-240	1 x 1.7 kW 1 x 3.0 kW	1 1	2+G 2+G	1.7 2.5-3.0	NEMA 5-15P No Cord	14.7 11.3-13.0	4.4 / 16.7 7.0 / 26.5	cULus
E1221US-1X117-LM001 DUAL VOLTAGE	13x5" <b>Metal</b>	120 208-240	1 x 1.7 kW 1 x 3.0 kW	1 1	2+G 2+G	1.7 2.5-3.0	NEMA 5-15P No Cord	14.7 11.3-13.0	4.4 / 16.7 7.0 / 26.5	cULus
E1221US-1X117-MM001 DUAL VOLTAGE	10.6x4.5" <b>Metal</b>	120 208-240	1 x 1.7 kW 1 x 3.0 kW	1 1	2+G 2+G	1.7 2.5-3.0	NEMA 5-15P No Cord	14.7 11.3-13.0	4.4 / 16.7 7.0 / 26.5	cULus
E1221US-1X117-PM001 DUAL VOLTAGE	10.6x4.5" <b>Plastic</b>	120 208-240	1 x 1.7 kW 1 x 3.0 kW	1 1	2+G 2+G	1.7 2.5-3.0	NEMA 5-15P No Cord	14.7 11.3-13.0	4.4 / 16.7 7.0 / 26.5	cULus

#### WATER

Water Inlet	Water Pressure [psig] / [Bar]	Minimum Flow Rate [gpm] / [L/min]	Tank Capacity [Gal] / [L]
1/4" Male Flare	20-75 / 1.37-5.17	1.50 / 5.68	2.66 / 10.07

1 Based on maximum power configuration

# ACCESSORIES

## CBS-1221 Plus Airpot Brewer

#### ACCESSORIES, BASKETS AND FILTERS

Item Number	Voltage	Brew Basket	Coffee Capacity	Filter Size	Filter SKU	Filter/Case
<b>NORTH AMERICA</b>						
E1221US-1A117-PM001	120	Standard <b>Plastic</b>	3.5 oz/100 g	10.6" x 4.5"	F008	1000/cs
E1221US-1A117-KM001	120	Large <b>Plastic</b>	6 oz/170 g	13" x 5"	F002	500/cs
E1221US-1X117-PM001	Dual	Standard <b>Plastic</b>	3.5 oz/100 g	10.6" x 4.5"	F008	1000/cs
E1221US-1X117-KM001	Dual	Large <b>Plastic</b>	6 oz/170 g	13" x 5"	F002	500/cs

#### B024230BN2

10-5/8" x 4-1/2"  
Small Plastic  
Basket



#### B014218BN2BK

13" x 5"  
Large Plastic  
Basket



#### F008

10-5/8" x 4-1/2"  
Paper Filters



#### B025230B1

10-5/8" x 4-1/2"  
Small Metal  
Basket



#### B003218B1

13" x 5"  
Large Metal  
Basket



#### F002

13" x 5"  
Paper Filters



# DIMENSIONS

## CBS-1221 Plus Airpot Brewer

### DIMENSIONS & WEIGHT

	Height (A)	Width (B)	Depth (C)	Depth (D)	Faucet Clearance (E)	Small Brew Basket Clearance (F)	Large Brew Basket Clearance (G)	Legs Height (H)	Empty Weight [lbs] / [kg]	Filled Weight [lbs] / [kg]
<b>Product</b>	26.00" 66.04 cm	9.25" 23.50 cm	22.25" 56.52 cm	16.75" 42.55 cm	19.50" 50.00 cm	14.00" 35.56 cm	13.00" 33.02 cm	0.5" 1.27 cm	29 lbs 13.2 kg	52 lbs 23.6 kg
<b>Shipping</b>	31.50" 80.01 cm	13.00" 33.02 cm	24.75" 62.87 cm	N/A	N/A	N/A	N/A	N/A	35 lbs 15.9 kg	N/A

