









## **DISPENSERS**

**CBS-2240 NG Brewers** 

# FRATELO COFFEE ROASTERS

### **DISPENSERS**



#### **SERVING STATION FOR THERMAL SERVERS**



All dispensers and serving stations **SOLD SEPARATELY**.





## **BREW BASKET DESIGN**

Advanced brew basket design provides a deeper bed depth and superior thermal insulation for better extraction.



#### **CASCADING SPRAY DOME**

Patented design provides even saturation of the coffee bed for maximum extraction. Lime resistant design makes for less service calls.



### **ECO MODE**

Reduces tank temperature during periods of nonoperation to cut down on electricity usage.



# **TECHNICAL SPECIFICATIONS**





## **CBS-2241 NG Brewer**

ELECTRICAL	ELECTRICAL										
Item Number	Brew Basket	Voltage	Heater Config.	Phase	Wires	kW	Connection	Max Amp Draw	[Gal] / [L] Hour	Certification	
E2241US-1A115-MA011	13x5" Metal	120	1 x 1.5 kW	1	2+G	1.5	NEMA 5-15P	13.0	4.0 / 15.1	NSF c (N) us	
E2241US-1A115-PA011	13x5" Plastic	120	1 x 1.5 kW	1	2+G	1.5	NEMA 5-15P	13.0	4.0 / 15.1	(S) c(H) us	
E2241US-1X117-MA011 DUAL VOLTAGE	13x5" Metal	120 120/208-240	1 x 1.7 kW 2 x 1.7 kW	1 1	2+G 3+G	1.7 3.4	NEMA 5-15P No Cord	14.7 12.8-14.7	4.5 / 17.1 9.0 / 34.2	NS c VL us	
E2241US-1X117-PA011 DUAL VOLTAGE	13x5" Plastic	120 120/208-240	1 x 1.7 kW 2 x 1.7 kW	1 1	2+G 3+G	1.7 3.4	NEMA 5-15P No Cord	14.7 12.8-14.7	4.5 / 17.1 9.0 / 34.2	NSS c. ŲL us	

#### WATER

WaterInlet	Water Pressure [psig] / [Bar]	Minimum Flow Rate [gpm] / [L/min]	Tank Capacity [Gal] / [L]
3/8" Male Flare	20-75 / 1.37-5.17	1.50 / 5.68	4.10 / 15.50

# **CBS-2242 NG Brewer**

ELECTRICAL										
Item Number	Brew Basket	Voltage	Heater Config.	Phase	Wires	kW	Connection	Max Amp Draw	[Gal] / [L] Hour	Certification
E2242US-1B230-MA010	13x5" Metal	208-240	2 x 3.0 kW	1	2+G	3.5-4.6	No Cord	22.2-25.5	12.2 / 46.3	(S) c(V) us
E2242US-1B230-PA010	13x5" Plastic	208-240	2 x 3.0 kW	1	2+G	3.5-4.6	No Cord	22.2-25.5	12.2 / 46.3	(S) c(VL)us

#### WATER

WaterInlet	Water Pressure [psig] / [Bar]	Minimum Flow Rate [gpm] / [L/min]	Tank Capacity [Gal] / [L]
3/8" Male Flare	20-75 / 1.37-5.17	1.50 / 5.68	7.48 / 28.31

# **ACCESSORIES**

## **CBS-2240 NG Brewers**

## NOTE

Coffee brewers are available with **Plastic** or **Metal** brew basket options. Material type is of personal preference and does not affect flavor profile, however if you are looking for color identification the plastic brew baskets are the best option.

#### **BREW BASKETS AND PAPER FILTERS**

Item Number	Brew Basket	Coffee Capacity	Filter Size	Filter SKU	Filter/Case
All configurations	Standard <b>Plastic</b> / Stainless Steel	Up to 8oz / 227g	13" x 5"	F002	500/cs









# **DIMENSIONS**

# **CBS-2241 NG Brewer**

DIMENSI	DIMENSIONS							WEIGHT		
	Height (A)	Width (B)	Depth (D)	Depth (E)	Brew Basket Clearance (F)	Faucet Clearance (G)		Empty [lbs] / [kg]	Filled [lbs] / [kg]	
Product Dimensions	34.5" 87.63 cm	11.75" 29.84 cm	20.5" 52.07 cm	15.13" 38.43 cm	21.38" 54.30 cm	12.13" 30.80 cm	Product Weight	38 lbs 17.2 kg	64 lbs 29.0 kg	
Shipping Dimensions	35.0" 88.90 cm	17.0" 43.18 cm	22.0" 55.88 cm	N/A	N/A	N/A	Shipping Weight	50 lbs 22.7 kg	N/A	

## **CBS-2242 NG Brewer**

DIMENSI	DIMENSIONS								WEIGHT			
	Height (A)	Width (C)	Depth (D)	Depth (E)	Brew Basket Clearance (F)	Faucet Clearance (G)		Empty [lbs] / [kg]	Filled [lbs] / [kg]			
Product Dimensions	34.5" 87.63 cm	19.75" 50.16 cm	20.5" 52.07 cm	15.13" 38.43 cm	21.38" 54.30 cm	12.13" 30.80 cm	Product Weight	56 lbs 25.4 kg	101 lbs 45.8 kg			
Shipping Dimensions	35.0" 88.90 cm	22.0" 55.88 cm	24.0" 60.96 cm	N/A	N/A	N/A	Shipping Weight	66 lbs 29.9 kg	N/A			



